

NPT-MP-HP Rigid Lances

Advanced Pressure Systems proudly offers a growing line of quality 304 SS 1/8 hard seamless rigid lances for every pressure and application.

Female machine screw threads are available on all NPT sizes.

UH rigid lances are rated from 40,000-60,000 PSI.

When ordering, please specify length and thread size. Up to 40-foot lengths available.

EXAMPLE: 50-000-025
is 1/16" rigid lance x 25' overall length.



Part #	Connection	I.D. & O.D.
50-000-XXX	1/16" NPT	.312 OD x .182 ID
50-001-XXX	1/8" NPT	.406 OD x .220 ID
50-002-XXX	1/4" NPT	.540 OD x .302 ID
50-004-XXX	3/8" NPT	.675 OD x .390 ID
50-006-XXX	1/2" NPT	.840 OD x .490 ID



Part #	Connection	I.D. & O.D.
51-000-XXX	1/4" MP	.245 OD x .304 ID
51-001-XXX	3/8" MP	.370 OD x .203 ID
51-002-XXX	9/16" MP	.557 OD x .312 ID



Part #	Connection	I.D. & O.D.
52-000-XXX	1/4" HP	.247 OD x .083 ID
52-001-XXX	3/8" HP	.370 OD x .125 ID
52-002-XXX	9/16" HP	.557 OD x .187 ID



ADVANCED PRESSURE SYSTEMS

701 S. Persimmon, Ste. 85 ▲ Tomball, TX 77375

Phone: 281-290-9950 ▲ Toll Free: 1-877-290-4277 ▲ Fax: 281-290-9952

www.advancedpressuresystems.com

E-mail orders: sales@advancedpressuresystems.com

15K Flex Lance Stingers/Pipe Nipples

Part #	Stinger Thread	Length, In.	PSI/Bar
20-006-012	1/16" NPT	12"	15K/1034
20-006-018	1/16" NPT	18"	15K/1034
20-006-024	1/16" NPT	24"	15K/1034
20-006-036	1/16" NPT	36" (3 Ft.)	15K/1034
20-006-048	1/16" NPT	48" (4 Ft.)	15K/1034
20-007-012	1/8" NPT	12"	15K/1034
20-007-018	1/8" NPT	18"	15K/1034
20-007-024	1/8" NPT	24"	15K/1034
20-007-036	1/8" NPT	36" (3 Ft.)	15K/1034
20-007-048	1/8" NPT	48" (4 Ft.)	15K/1034
20-008-012	1/4" NPT	12"	15K/1034
20-008-018	1/4" NPT	18"	15K/1034
20-008-024	1/4" NPT	24"	15K/1034
20-008-036	1/4" NPT	36" (3 Ft.)	15K/1034
20-008-048	1/4" NPT	48" (4 Ft.)	15K/1034
20-012-012	3/8" NPT	12"	15K/1034
20-012-018	3/8" NPT	18"	15K/1034
20-012-024	3/8" NPT	24"	15K/1034
20-012-036	3/8" NPT	36" (3 Ft.)	15K/1034
20-012-048	3/8" NPT	48" (4 Ft.)	15K/1034
20-013-012	1/2" NPT	12"	15K/1034
20-013-018	1/2" NPT	18"	15K/1034
20-013-024	1/2" NPT	24"	15K/1034
20-013-036	1/2" NPT	36" (3 Ft.)	15K/1034
20-013-048	1/2" NPT	48" (4 Ft.)	15K/1034
20-014-012	3/4" NPT	12"	10K/689
20-014-018	3/4" NPT	18"	10K/689
20-014-024	3/4" NPT	24"	10K/689
20-014-036	3/4" NPT	36" (3 Ft.)	10K/689
20-014-048	3/4" NPT	48" (4 Ft.)	10K/689
20-015-012	1" NPT	12"	10K/689
20-015-018	1" NPT	18"	10K/689
20-015-024	1" NPT	24"	10K/689
20-015-036	1" NPT	36" (3 Ft.)	10K/689
20-015-048	1" NPT	48" (4 Ft.)	10K/689

Advanced Pressure Systems proudly offers a growing line of quality flex lance stingers for every pressure and application. Stingers and pipe nipples are offered in 304 stainless steel. When ordering, please specify length and thread size.



Lances / Nipples



ADVANCED PRESSURE SYSTEMS

701 S. Persimmon, Ste. 85 ▲ Tomball, TX 77375

Phone: 281-290-9950 ▲ Toll Free: 1-877-290-4277 ▲ Fax: 281-290-9952

www.advancedpressuresystems.com

E-mail orders: sales@advancedpressuresystems.com

20K Flex Lance Stingers/Pipe Nipples

Part #	Stinger Thread	Length, In.	PSI/Bar
21-020-006	1/4" MP	6"	20K/1379
21-020-008	1/4" MP	8"	20K/1379
21-020-010	1/4" MP	10"	20K/1379
21-020-012	1/4" MP	12"	20K/1379
21-020-024	1/4" MP	24"	20K/1379
21-020-036	1/4" MP	36" (3 Ft.)	20K/1379
21-020-048	1/4" MP	48" (4 Ft.)	20K/1379
21-021-006	3/8" MP	6"	20K/1379
21-021-008	3/8" MP	8"	20K/1379
21-021-010	3/8" MP	10"	20K/1379
21-021-012	3/8" MP	12"	20K/1379
21-021-024	3/8" MP	24"	20K/1379
21-021-036	3/8" MP	36" (3 Ft.)	20K/1379
21-021-048	3/8" MP	48" (4 Ft.)	20K/1379
21-022-006	9/16" MP	6"	20K/1379
21-022-008	9/16" MP	8"	20K/1379
21-022-010	9/16" MP	10"	20K/1379
21-022-012	9/16" MP	12"	20K/1379
21-022-024	9/16" MP	24"	20K/1379
21-022-036	9/16" MP	36" (3 Ft.)	20K/1379
21-022-048	9/16" MP	48" (4 Ft.)	20K/1379
21-023-006	3/4" MP	6"	20K/1379
21-023-008	3/4" MP	8"	20K/1379
21-023-010	3/4" MP	10"	20K/1379
21-023-012	3/4" MP	12"	20K/1379
21-023-024	3/4" MP	24"	20K/1379
21-023-036	3/4" MP	36" (3 Ft.)	20K/1379
21-023-048	3/4" MP	48" (4 Ft.)	20K/1379
21-024-006	1" MP	6"	20K/1379
21-024-008	1" MP	8"	20K/1379
21-024-010	1" MP	10"	20K/1379
21-024-012	1" MP	12"	20K/1379
21-024-024	1" MP	24"	20K/1379
21-024-036	1" MP	36" (3 Ft.)	20K/1379
21-024-048	1" MP	48" (4 Ft.)	20K/1379

Advanced Pressure Systems proudly offers a growing line of quality flex lance stingers for every pressure and application.

Stingers and pipe nipples are offered in 304 stainless steel.

When ordering, please specify length and thread size.



ADVANCED PRESSURE SYSTEMS

701 S. Persimmon, Ste. 85 ▲ Tomball, TX 77375

Phone: 281-290-9950 ▲ Toll Free: 1-877-290-4277 ▲ Fax: 281-290-9952

www.advancedpressuresystems.com

E-mail orders: sales@advancedpressuresystems.com

40K Flex Lance Stingers/Pipe Nipples

Advanced Pressure Systems proudly offers a growing line of quality flex lance stingers for every pressure and application. Stingers and pipe nipples are offered in 304 stainless steel. When ordering, please specify length and thread size.

Part #	Stinger Thread	Length, In.	PSI/Bar
23-020-006	1/4" HP	6"	40K/2760
23-020-008	1/4" HP	8"	40K/2760
23-020-010	1/4" HP	10"	40K/2760
23-020-012	1/4" HP	12"	40K/2760
23-020-024	1/4" HP	24"	40K/2760
23-020-036	1/4" HP	36" (3 Ft.)	40K/2760
23-020-048	1/4" HP	48" (4 Ft.)	40K/2760
23-021-006	3/8" HP	6"	40K/2760
23-021-008	3/8" HP	8"	40K/2760
23-021-010	3/8" HP	10"	40K/2760
23-021-012	3/8" HP	12"	40K/2760
23-021-024	3/8" HP	24"	40K/2760
23-021-036	3/8" HP	36" (3 Ft.)	40K/2760
23-021-048	3/8" HP	48" (4 Ft.)	40K/2760
23-022-006	9/16" HP	6"	40K/2760
23-022-008	9/16" HP	8"	40K/2760
23-022-010	9/16" HP	10"	40K/2760
23-022-012	9/16" HP	12"	40K/2760
23-022-024	9/16" HP	24"	40K/2760
23-022-036	9/16" HP	36" (3 Ft.)	40K/2760
23-022-048	9/16" HP	48" (4 Ft.)	40K/2760



ADVANCED PRESSURE SYSTEMS

701 S. Persimmon, Ste. 85 ▲ Tomball, TX 77375

Phone: 281-290-9950 ▲ Toll Free: 1-877-290-4277 ▲ Fax: 281-290-9952

www.advancedpressuresystems.com

E-mail orders: sales@advancedpressuresystems.com